


# SG 6870

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016; special colours or anodised aluminum possible (recess profile only in white RAL 9016 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- 2-component (2C) glider technology
- Wave (2C)
- Bendable
- Bendable recess profile

# SYSTEM SPECIFICATIONS

## A. PROFILE


Profile and bending information



**SG 11190**

Profile

Radius:  >26 cm




**SG 11230**

Recess profile

Radius:  >50 cm

## B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

## C. SPECIFICATION TEXT


**Silent Gliss SG 6870 Hand Operated Curtain Track System.** Comprises aluminium profile SG 11190 supplied made to measure, available in silver anodised or powder coated in white / matt white / anodic grey / antique bronze / charcoal. Supplied as standard with 2C gliders SG 11300 at 14/m, 2 end covers SG 11233 and 2 end stops SG 6065. Top fixed with fixing clamp SG 3825 at 500mm centres. Optional top fix bracket SG 3832 / Wall fix with SG Smart Fix brackets SG 11201-11205 and SG 3826 or SG 3832 / Square Smart Fix brackets SG 11210-11215 and SG 3826 or SG 3832 / SG Universal Smart Fix brackets SG 11154-11156.

# FITTING

## A. FITTING INFORMATION



Fixing points

For detailed fitting information, visit the Silent Gliss website.



**B. CEILING FITTING**



**Clamp SG 3825**



**SG 3825**

*Clamp*



**Bracket SG 3826**



**SG 3826**

*Bracket*

**Bracket SG 3832**




**SG 3832**


*Bracket*

## C. WALL FITTING


### Smart Fix




**Smart Fix SG 11200 - SG 11205 and bracket SG 3826:**  
Screw SG 10492 (M4x8) needed.




**Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:**  
Screw SG 10277 (M4x12) needed.




**Smart Fix SG 11200 - SG 11205 and bracket SG 3832:**  
Screw SG 10492 (M4x8) needed.




**Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:**  
Screw SG 10492 (M4x8) needed.


Smart Fix	X mm (SG 3826 / SG 3825)	X mm (SG 3832)
SG 11200 / SG 11210	52	70
SG 11201 / SG 11211	72	90
SG 11202 / SG 11212	92	110
SG 11203 / SG 11213	112	130
SG 11204 / SG 11214	142	160
SG 11205 / SG 11215	192	210
SG 11154	102-130	120-148
SG 11155	132-160	150-178
SG 11156	182-210	200-228




**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:**  
Screw SG 10407 (M4x10) needed.




**Smart Fix SG 11200 - SG 11205 and clamp SG 3825:**  
Screw SG 10074 (M4x8) needed.




**Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:**  
Screw SG 10074 (M4x8) needed.




**Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:**  
Screw SG 11158 (M4x12) needed.



**SG 3825**  
Clamp



**SG 3826**  
Bracket



**SG 3832**  
Bracket



**SG 10074**  
Countersunk head screw  
M4x8



**SG 10277**  
Pan head screw M4x12




**SG 10407**  
Pan head screw M4x10




**SG 10492**  
Pan head screw M4x8




**SG 11158**  
Countersunk head screw  
M4x12




**SG 11200**  
Smart Fix 60 mm




**SG 11201**  
Smart Fix 80 mm




**SG 11202**  
Smart Fix 100 mm




**SG 11203**  
Smart Fix 120 mm




**SG 11204**  
Smart Fix 150 mm




**SG 11205**  
Smart Fix 200 mm




**SG 11210**  
Square Smart Fix 60 mm




**SG 11211**  
Square Smart Fix 80 mm




**SG 11212**  
Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm




**SG 11215**  
Square Smart Fix 200 mm



**SG 11154**  
Universal Smart Fix 120 mm





**SG 11155**  
Universal Smart Fix 150 mm



**SG 11156**  
Universal Smart Fix 200 mm


**Bracket SG 3836**




**SG 3836**  
Bracket

## D. RECESS FITTING


### Recess profile SG 11230




One wedge SG 10157 per fixing point.  
For detailed recess fitting, visit the Silent Gliss website.



SG 11230  
Recess profile




SG 11238  
Recess Mask




SG 10157  
Wedge

# SYSTEM OPTIONS

## A. WAVE



SG 11295




SG 11302

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255



SG 6099




SG 6364




SG 6365

Optional components:


- SG 2255 Brake
- SG 6099 Wave roller cord 80 mm
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 6366



SG 10430-34




SG 11303



**Curtain components:**

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

**Wave stack depth - 2C glider cord (standard components)**



A = Stack depth  
 B = Stack size  
 C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*\*Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*



# GENERAL NOTES

## **Dimensions**

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

## **Fitting**






- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

## **Child Safety**





























- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.


# PARTS

## A. STANDARD PARTS

	<b>SG 3825</b> Clamp
	<b>SG 6065</b> End stop
	<b>SG 11190</b> Profile
	<b>SG 11233</b> End cover
	<b>SG 11300</b> 2C glider


## B. OPTIONAL PARTS

	<b>SG 2255</b> Brake		<b>SG 6349</b> Wave curtain tape
	<b>SG 3582</b> Hook		<b>SG 6363</b> Wave top hemming tape
	<b>SG 3599</b> Hook		<b>SG 6364</b> Wave extension
	<b>SG 3802</b> Connection bridge		<b>SG 6365</b> Wave hanger
	<b>SG 3826</b> Bracket		<b>SG 6366</b> Wave carrier for draw rod
	<b>SG 3832</b> Bracket		<b>SG 10074</b> Countersunk head screw M4x8
	<b>SG 3836</b> Bracket		<b>SG 10075</b> Lead weight 50 g/m
	<b>SG 6053</b> Spring stop		<b>SG 10076</b> Fabric weight
	<b>SG 6064</b> End stop		<b>SG 10157</b> Wedge
	<b>SG 6086</b> Spring stop		<b>SG 10277</b> Pan head screw M4x12
	<b>SG 6094</b> Roller		<b>SG 10407</b> Pan head screw M4x10
	<b>SG 6098</b> Roller		<b>SG 10430</b> Draw rod 50 cm
	<b>SG 6099</b> Wave roller cord 80 mm		<b>SG 10431</b> Draw rod 75 cm
	<b>SG 6283</b> Roller		<b>SG 10432</b> Draw rod 100 cm




**SG 10433**

Draw rod 125 cm




**SG 10434**

Draw rod 150 cm




**SG 10492**

Pan head screw M4x8




**SG 11154**

Universal Smart Fix 120 mm




**SG 11155**

Universal Smart Fix 150 mm




**SG 11156**

Universal Smart Fix 200 mm




**SG 11158**

Countersunk head screw M4x12




**SG 11200**

Smart Fix 60 mm




**SG 11201**

Smart Fix 80 mm



**SG 11202**

Smart Fix 100 mm



**SG 11203**

Smart Fix 120 mm




**SG 11204**

Smart Fix 150 mm




**SG 11205**

Smart Fix 200 mm




**SG 11210**

Square Smart Fix 60 mm




**SG 11211**

Square Smart Fix 80 mm




**SG 11212**

Square Smart Fix 100 mm




**SG 11213**

Square Smart Fix 120 mm




**SG 11214**

Square Smart Fix 150 mm




**SG 11215**

Square Smart Fix 200 mm




**SG 11230**

Recess profile



**SG 11238**

Recess Mask




**SG 11295**

End stop




**SG 11301**

2C glider on strip



**SG 11302**

Wave 2C glider cord 80 mm



**SG 11303**

Wave 2C glider cord 60 mm

